

**HERKIMER COUNTY HIGHWAY DEPT**  
**GENERAL SPECIFICATIONS AND INFORMATION TO BIDDERS**  
**REFLECTIVE SIGN FACES AND REFLECTIVE SIGNING MATERIALS**

1. Specifications shall conform to ASTM specifications for retro reflecting sheeting.
2. All bids must be submitted on bidding forms provided by the office of the County Superintendent of Highways. All bids must be submitted with a Certificate of Non-Collusion which must be properly signed and dated. All bids must include a signed and notarized Certification of Compliance with the Iran Divestment Act as well as be in compliance with the Buy American Act. All bids will be submitted tax-free.
3. Contract period shall be for one year from date of award and may be extended for an additional year if mutually agreeable.
4. Delivery shall be no later than 45 days from order and shall be to the Herkimer County Highway Garage, 313 Third Avenue, Herkimer, New York, 13350. All costs for shipping shall be included in the bid price(s).
5. Type of material to be bid shall be Reflective Sign Faces and Reflective Signing Materials and shall include, but not be limited to, sign faces, roll goods, cut out Numbers and letters, borders and corners, delineators and allied materials.
6. Bidder certifies that in making this bid that he is, or they are, the only person or persons interested in the said bid, that it is made without any connection with any person making another bid for the same item; that the bid is in all respects fair and without collusion, fraud or mental reservations; and that no official of the County, or any person in the employ of the County is directly or indirectly interested in said bid or in the item, or in any portion of the profits thereof.
7. Bid will be awarded to the lowest responsible bidder of each group, 1-7, for the signs and materials listed in the specification pages. Request for other materials is for pricing only.

The right will be reserved to reject any bids or to accept the bid which is decided to be to the best advantage of the Herkimer County Highway Department. Quantities are estimates only. Herkimer County shall have the right to increase or decrease the quantity of all bid items during the life of the contract and any extension thereof.

8. **PURCHASES “MAY BE MADE UNDER ANY CONTRACT AWARDED FROM THIS BIDDING BY ANY OFFICER, BOARD OR AGENCY OF A POLITICAL SUB-DIVISION OR DISTRICT IN THE COUNTY**

**PURSUANT TO CHAPTER 669, OR THE LAWS OF 1955, NOW  
GENERAL LAW, SECTION 103 (3).”**

**SPECIAL CONDITIONS**

1. All bidders must submit with bid a certification of compliance from a recognized industrial testing laboratory certifying compliance to the ASTM specifications.
2. Manufacturer must identify sheeting and faces with its logo.

Mark A. Nagele, P.E.  
County Superintendent of Highways  
Herkimer County Highway Department

## INDEX

<b><u>ITEM #</u></b>	<b><u>GROUP 1 – ROLL GOODS</u></b>
1.	ASTM Type XI – Rolls
2.	Fluorescent ASTM Type XI – Rolls
3.	Protective Overlay Films - Rolls
4.	Vehicle Marking Films – Rolls
5.	Truck/Vehicle Conspicuity – Rolls/Strips
<b><u>ITEM #</u></b>	<b><u>GROUP 2 – PRE-PRINTED SIGN &amp; ROAD NAME FACES</u></b>
6.	ASTM Type XI – Sign Faces
7.	Fluorescent ASTM Type XI – Sign Faces
<b><u>ITEM#</u></b>	<b><u>GROUP 3 – PRE-PRINTED FLORESCENT FACES</u></b>
8.	ASTM Type XI – Road Name Sign Faces
<b><u>ITEM #</u></b>	<b><u>GROUP 4 – BARRICADE SHEETING</u></b>
9.	Barricade Sheeting ASTM Type IV
<b><u>ITEM #</u></b>	<b><u>GROUP 5 – LETTERS AND NUMBERS</u></b>
10.	Letters & Numbers – Black
11.	Letters & Numbers White & Yellow – ASTM Type XI
12.	Corners & Borders - Black
<b><u>ITEM #</u></b>	<b><u>GROUP 6 - STICKERS AND EMBLEMS</u></b>
13.	Unique Dating Sticker ASTM Type I
14.	County Vehicle Emblems ASTM Type I
<b><u>ITEM #</u></b>	<b><u>GROUP 7 – PAVEMENT MARKINGS</u></b>

15. Preformed Thermoplastic Pavement Markings

**GROUP 1 – ROLLS (Specifications/Descriptions/Requirements)**

**ITEM 1 – ASTM D4956 Type XI REFLECTIVE SHEETING – ROLLS**

Usage: Traffic signs  
Field Performance: 12 years  
Application Surface: Aluminum  
Adhesive: Pressure sensitive  
Specifications: Meet or exceed ASTM D4956 Type XI  
Colors: All standard / available  
Roll Size: Length: 50 yards  
Width: 1” to 48”

**ITEM 2 – FLUORESCENT ASTM D4956 Type XI SHEETING – ROLLS**

Usage: Traffic signs  
Field Performance: 12 years  
Application Surface: Aluminum  
Adhesive: Pressure sensitive  
Specifications: Meet or exceed ASTM D4956 Type XI, Fluorescent  
Colors: Fluorescent; yellow; yellow-green & orange  
Roll Size: Length: 50 yards  
Width: 1” to 48”

**ITEM 3 – PROTECTIVE OVERLAY FILMS – ROLLS**

Comparable to 3M 1160i or approved equal.

Usage: Traffic signs  
Field Performance: Per Manufacturer  
Application Surface: Retroreflective sheeting  
Adhesive: Pressure sensitive  
Specifications: 3M 1160i or approved equal  
Colors: Transparent  
Roll Size: Length: 50 yards  
Width: 30” to 36”

#### **ITEM 4 – REFLECTIVE VEHICLE FILMS – ROLLS**

Comparable to 3M 680 and 680CR (removable) or approved equal.

Usage: Vehicle emblems, stripes, markings  
Field Performance: Per manufacturer  
Application Surface: Vehicles  
Adhesive: Pressure sensitive  
Specifications: 3M 680 or 3M 680CR or approved equal  
Colors: All standard / available  
Roll Size: Length: 50 yards  
Width: 1” to 48”

#### **ITEM 5 – ASTM Type XI TRUCK/VEHICLE CONSPICUITY MARKINGS**

FMVSS 108 Requirements. DOT-C2 Mark. Comparable to 3M series 983.

Usage: Truck, trailer, vehicle conspicuity  
Field Performance: Per manufacturer  
Application Surface: Vehicles  
Adhesive: Pressure sensitive  
Specifications: FMVSS 108. DOT-C2. Comparable to 3M series 983  
Colors: All standard / available  
Roll Size: Length: 50 yard length, 1” to 4” widths  
Pre-cut strips 2” wide


#### **GROUP 2 AND 3 – SIGN FACES (Specifications, Descriptions, Requirements)**

#### **ITEM 6 AND 7 – ASTM D4956 Type XI – PRE-PRINTED FINISHED SIGN FACES AND ROAD NAME SIGNS (SEE ATTACHED ILLUSTRATION)**

ASTM D4956 Type XI reflective sheeting. Symbols in conformance with MUTCD standards and / or the NYS Supplement to the MUTCD.

Usage: Traffic signs / road name signs  
Field Performance: 12 years  
Application Surface: Aluminum (not included)  
Adhesive: Pressure sensitive  
Specifications: ASTM D4956 Types XI. MUTCD.  
Colors: Red regulatory screened face  
One color screened face  
Two color screened face  
Three color screened face

ROAD NAME SIGN TEMPLATE



Description:

- ~ Blade: 12" x Length
- ~ Letters: 6" Caps, 6" Lower Case, 3" Suffix
- ~ Pictograph: M1-6, 6" Height
- ~ Face Material: Legend and border shall be white or yellow complying with ASTM Type XI sheeting (as selected by Herkimer County), with electrocure film cover (brown or green as selected by Herkimer County)
- ~ **Screen printing of County shield and text will not be allowed**

## **ITEM 8 – FLUORESCENT ASTM D4956 Type XI – PRE-PRINTED SIGN FACES**

ASTM D4956 Type XI fluorescent. Comparable to 3M DG3 series 4081, 4083 & 4084 or approved equal. Symbols in conformance with MUTCD standards.

Usage: Traffic signs

Field Performance: 12 years

Application Surface: Aluminum (not included)

Adhesive: Pressure sensitive

Specifications: ASTM D4956 Type XI fluorescent, MUTCD.

Colors:

One color screened face

Sizes: 8” to 48”

0 to 2 square feet

1 to 5 square feet

4+ square feet

### **GROUP 4 –BARRICADE SHEETING** **(Specifications, Descriptions, Requirements)**

## **ITEM 9 – HIGH INTENSITY PRISMATIC ASTM Type IV – BARRICADE SHEETING**

Usage: Barricades

Field Performance: Per manufacturer

Application Surface: Work zone barricades, aluminum or wood

Adhesive: Pressure sensitive

Specifications: Comparable to 3M 334/336 or approved equal. Prestriped orange

Colors: Prestriped orange: 4” stripe/left, 4” stripe/right, 6” stripe/left, 6” stripe/right

Size: Length: 50 yard roll

Widths: 7”, 8”, 12”

### **GROUP 5- LETTERS AND NUMBERS** **(Specifications, Description, Requirements)**

## **ITEM 10 – LETTERS & NUMBERS BLACK**

Usage: Traffic signs

Field Performance: Per manufacturer

Application Surface: Aluminum

Specifications: Comparable to 3M 180-12P or approved equal

Series: C, D, E

Color: Black

Sizes: 2”, 3”, 4”, 5”, 6”, 8”, 10”

**ITEM 11 – LETTERS & NUMBERS WHITE & YELLOW**

Usage: Traffic signs  
Field Performance: Per manufacturer  
Application Surface: Aluminum  
Specifications: ASTM D4956 Type XI  
                    Comparable to 3M 4000 series diamond grade cube  
Series: C, D  
Colors: White & Yellow  
Sizes: 2”, 3”, 6”

**ITEM 12 – CORNERS & BORDERS BLACK**

Usage: Traffic signs  
Field Performance: Per manufacturer  
Application Surface: Aluminum  
Specification: Comparable to 3M 180-12P or approved equal  
Color: Black  
Size: Border  $\frac{3}{4}$ ” x 50 yards  
      Radius corners  $\frac{3}{4}$ ” x 1  $\frac{3}{8}$ ”

**GROUP 6 – STICKERS AND EMBLEMS**  
**(Specifications, Description, Requirements)**

**ITEM 13 – UNIQUE DATING STICKER (see attached illustration)**

ASTM D4956 Type I  
  
Usage: Traffic signs  
Applicable Surface: Aluminum  
Adhesive: Pressure Sensitive  
Colors: White w/ Black Text  
Size: 2.25” x 4.50”  
Specification: Meet or exceed ASTM D4956 Type I specifications



## **ITEM 14 – COUNTY VEHICLE EMBLEMS**

ASTM D4956 Type I

Usage: Vehicle Door

Applicable Surface: Painted sheet metal

Adhesive: Pressure sensitive

Colors: White and black or blue and gold

Size: See attached

Specifications: Meet or exceed ASTM D4956 Type I specifications

## **GROUP 7 – PAVEMENT MARKINGS** **(Specifications, Description, Requirements)**

### **ITEM 15 – PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

Comparable to Flint Trading – Premark with vizigrip or approved equal.

Material: Preformed thermoplastic

Usage: Pavement marking symbols & legends, stop bars

Application Surface: Asphalt, concrete

Adhesive: External heat source, no glue

Visibility: Factory applied glass beads

Skid Resistance: Material shall be skid resistant

Thickness: All shall be 125 mils thick except for bicycle markers shall be 90 mils.


Colors: White

Widths: Varies

Durability: Shall be a heavy duty intersection grade pavement marking

Note: Non-thermoplastic pavement marking will not be considered equal, and will not be accepted.




UNIQUE DATING STICKER SPECIFICATIONS






Dating Sticker Specifications:

- ~ Black text as shown on engineering grade self-adhesive material
- ~ Stickers are to be 4.50” wide x 2.25” high
- ~ Quantity to be 100 stickers per package
- ~ Years listed shall be changed to begin at current year


COUNTY VEHICLE EMBLEMS







24" OCTAGON SLOW SIGN



SLOW MOVING VEHICLE FACE

## BID PROPOSAL FORM

Award for sign material will be based on the following estimated quantities of sign material to be provided. Prices are also requested for any other sign sizes and/or material available from your firm. All materials will be pressure sensitive adhesive.

### **GROUP 1**

#### ROLL GOODS ASTM Type XI (except for black)

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
6" x 50 yds.	Yellow	1 roll	roll	
6" x 50 yds.	White	1 roll	roll	
6" x 50 yds.	Red	1 roll	roll	
6" x 50 yds.	Blue	1 roll	roll	
12" x 50 yds.	Green	1 roll	roll	
12" x 50 yds.	Brown	1 roll	roll	
18" x 50 yds.	Red	1 roll	roll	
30" x 50 yds.	Yellow	1 roll	roll	
30" x 50 yds.	White	1 roll	roll	
36" x 50 yds.	Yellow	1 roll	roll	
24" x 50 yds.	Black – non reflective	1 roll	roll	
<b>SUB TOTAL</b>				<b>\$</b>

#### ROLL GOODS (FLUORESCENT) ASTM Type XI

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
36" x 50 yds.	Orange	1 roll	roll	
6" x 50 yds.	Yellow-Green	1 roll	roll	
<b>SUB TOTAL</b>				<b>\$</b>

#### ROLL GOODS (PROTECTIVE FILM)

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
30" x 50 yds.	Transparent	1 roll	roll	
36" x 50 yds.	Transparent	1 roll	roll	
<b>SUB TOTAL</b>				<b>\$</b>

**BID PROPOSAL FORM CONT.**  
**VEHICLE MARKING TAPE**

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
1" x 50 yds.	680 CR – 85 Black	2 rolls	roll	
2" x 50 yds.	680 CR – 85 Black	2 rolls	roll	
2" x 50 yds.	Red/White Conspicuity Tape #983-326 6"/6"	1 roll	roll	
<b>SUB TOTAL</b>				<b>\$</b>

**TOTAL GROUP 1** \$ \_\_\_\_\_

**GROUP 2**

**SIGN FACES ONLY**

Note: Sign faces shall comply to the 2009 Manual on Uniform Traffic Control Devices (MUTCD) and/or the New York State Supplement to the MUTCD.

**PARKING SERIES ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
12" x 18"	Various Legends	60	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**REGULATORY SERIES ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
24" x 8"	Various Legends	5	Ea.	
24" x 30"	Various Legends	50	Ea.	
60" x 30"	Various Legends	5	Ea.	
48" x 30"	Various Legends	10	Ea.	
30" Oct.	STOP	20	Ea.	
24" Oct.	STOP	20	Ea.	
36"	YIELD	5	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**BID PROPOSAL FORM CONT.**

**WARNING SERIES ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
30"x 30"	Various Legends	200	Ea.	
48"x 24"	Various Legends	10	Ea.	
36"x 18"	Various Legends	30	Ea.	
24" x 24"	M.P.H.	20	Ea.	
36"x 36"	Various Legends	10	Ea.	
18"x 18"	M.P.H.	30	Ea.	
24"x 18"	Various Legends	10	Ea.	
24"x 8"	Various Legends	10	Ea.	
12"x 36"	Object Marker Left & Right	10	Ea.	
24"x 30"	Various Legends	10	Ea.	
30"x 36"	Various Legends	10	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**FLUORESCENT ORANGE WARNING SERIES ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
30"x 30"	Various Legends	10	Ea.	
24"x 24"	Orange/Black Border	10	Ea.	
36"x 36"	Various Legend	20	Ea.	
48" x 24"	Various Legend	10	Ea.	
48"x 36"	Various Legends	10	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**FLORESCENT ORANGE GUIDE SERIES ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
24" x 18"	Next ___ Mile	10	Ea.	
24"x 18"	Next ___ Miles	10	Ea.	
48"x 18"	Detour Left & Right	10	Ea.	
36"x 24"	End Road Work	10	Ea.	
30"x 24"	End Detour	10	Ea.	
60"x 24"	Road Work Next ___ Miles	5	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>



**BID PROPOSAL FORM CONT.****FLORESCENT YELLOW – GREEN ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
24" x 8"	Various Legends	10	Ea.	
24"x 12"	Various Legends	10	Ea.	
24"x 24"	Various Legends	10	Ea.	
30" x 18"	Various Legends	10	Ea.	
30"x 30"	Various Legends	20	Ea.	
36" x 36"	Various Legends	10	Ea.	
36"x 36"	School Bus Stop Ahead (Symbol)	20	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**SPECIAL SIGNS ASTM Type XI**

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
30" x 36"	\$500 Fine Littering or Dumping Strictly Prohibited All Roads Herkimer County Red/black/white	10	Ea.	
12" x 18"	No Dumping Red/white	10	Ea.	
18" x 24"	No Jumping or Diving From Bridge Yellow/brown	5	Ea.	
24" Oct.	SLOW * Fl. Orange/Black	10	Ea.	
24" Tri-Angle	Slow Moving Vehicle * (Sym) Red/Orange	10	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

\* See Page 14 for details.

**TOTAL GROUP 2**

**\$** \_\_\_\_\_

**BID PROPOSAL FORM CONT.**  
**GROUP 3**

STREET NAME SERIES (ASTM Type XI)

SIZE	LEGEND	QUANTITY	UNIT COST	TOTAL (\$)
24" x 12"	Green/White Legend	2	Ea.	
30" x 12"	Green/White Legend	2	Ea.	
36" x 12"	Green/White Legend	2	Ea.	
42" x 12"	Green/White Legend	2	Ea.	
48" x 12"	Green/White Legend	2	Ea.	
54"x 12"	Green/White Legend	2	Ea.	
60" x 12"	Green/White Legend	2	Ea.	
66" x 12"	Green/White Legend	2	Ea.	
24" x 12"	Brown/ Yellow Legend	2	Ea.	
30" x 12"	Brown/ Yellow Legend	2	Ea.	
36" x 12"	Brown/ Yellow Legend	2	Ea.	
42" x 12"	Brown/ Yellow Legend	2	Ea.	
48" x 12"	Brown/ Yellow Legend	2	Ea.	
54"x 12"	Brown/ Yellow Legend	2	Ea.	
60"x 12"	Brown/ Yellow Legend	2	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**TOTAL GROUP 3** \$ \_\_\_\_\_

**GROUP 4**

PRISMATIC ASTM Type IV

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
8" x 50 Yds.	Barricade Sheeting Left-Right	1 roll	Roll	
<b>SUB TOTAL</b>				<b>\$</b>

**TOTAL GROUP 4** \$ \_\_\_\_\_

**BID PROPOSAL FORM CONT.**

**GROUP 5**

LETTERS & NUMBERS 25/pkg. WITH APPLICATION TAPE

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
2" Series C	Black	60	Pkg.	
2" Series C	Yellow	10	Pkg.	
2" Series C	White	10	Pkg.	
3" Series C	Black	15	Pkg.	
3" Series C	White	15	Pkg.	
3" Series C	Yellow	10	Pkg.	
4" Series D	Black	40	Pkg.	
4" Series D	White	20	Pkg.	
5" Series D	Black	10	Pkg.	
6" Series D	Black	50	Pkg.	
6" Series D	White	15	Pkg.	
6" Series D	Yellow	5	Pkg.	
8" Series E	Black	10	Pkg.	
10" Series E	Black	15	Pkg.	
¾" x 1 3/8"	Corners Black	5	Pkg.	
1" x 1 3/8"	Corners Black	5	Pkg.	
¾" x 50 yds.	Border Black	2 rolls	Roll	
1" x 50 yds.	Border Black	1 roll	Roll	
<b>SUB TOTAL</b>				<b>\$</b>

**TOTAL GROUP 5**

**\$ \_\_\_\_\_**

**GROUP 6**

UNIQUE DATING STICKER (100/pkg.) AND COUNTY VEHICLE EMBLEMS

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
2.25" x 4.50"	White/Black	5 Pkg.	Pkg.	
<b>SUB TOTAL</b>				<b>\$</b>

COUNTY VEHICLE EMBLEMS

SIZE	COLOR	QUANTITY	UNIT COST	TOTAL (\$)
10" Dia.	Gold/Blue	20	Ea.	
9" Dia.	White/Black	20	Ea.	
12" Dia.	White/Black	20	Ea.	
Small Diamond	White/Black	20	Ea.	
Large Diamond	White/Black	20	Ea.	
<b>SUB TOTAL</b>				<b>\$</b>

**TOTAL GROUP 6**

**\$ \_\_\_\_\_**

**BID PROPOSAL FORM CONT.**  
**GROUP 7**

PREFORMED WHITE THERMOPLASTIC PAVEMENT MARKINGS

DESCRIPTION	SIZE	QUANTITY	UNIT COST	TOTAL (\$)
Stop Line	12" wide 125 mil	900'	Per Ft.	
Yield Line Triangle	12" x 18" 125 mil	12	Ea.	
Yield Line Triangle	24" x 36" 125 mil	12	Ea.	
"RxR" Kit Narrow	6'6" x 20' 125 mil	2	Ea.	
"STOP"	8' 125 mil	4	Ea.	
"AHEAD"	8' 125 mil	2	Ea.	
"ONLY"	8' 125 mil	2	Ea.	
Bicycle Rider w/ Helmet	4'x2' 90 mil	10	Ea.	
Left Turn Arrow	8' x 6' - 4" 125 mil	3	Ea.	
Right Turn Arrow	8' x 6' - 4" 125 mil	3	Ea.	

**TOTAL GROUP 7** \$ \_\_\_\_\_

Other Material, Please List:

---



---

\_\_\_\_\_  
 NAME OF BIDDER

---



---

\_\_\_\_\_  
 AUTHORIZED SIGNATURE

\_\_\_\_\_  
 ADDRESS

\_\_\_\_\_  
 TITLE

\_\_\_\_\_  
 DATE

EMAIL: \_\_\_\_\_

NON-COLLUSIVE BIDDING CERTIFICATION

SECTION 103-D

By submission of this bid or proposal, the bidder certifies that:

- (a) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor.
- (b) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposal for this project, to any other bidder, competitor or potential competitor.
- (c) No attempt has been or will be made to induce any other person, partnership, or corporation to submit or not to submit a bid or proposal.
- (d) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties of perjury, affirms the truth thereof such penalties being applicable to the bidder as well as to the person signing in its behalf.
- (e) That attached hereto (if a corporate bidder), is a certified copy of resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

RESOLVED THAT \_\_\_\_\_ be  
(Name of Corporation)

authorized to sign and submit the bid or proposal of this corporation for Reflective Signing Material, and to include in such bid or proposal the certificate as to non-collusion required by section one hundred three-D, of the General Municipal Law as the act and deed of such corporation, and for any inaccuracies or mis-statements in such certificate this corporate bidder shall be liable under the penalties of perjury.

The foregoing is a true and correct copy of the resolution adopted by:  
Corporation

at a meeting of its Board of Directors held on the \_\_\_\_\_ Day of 20\_\_\_\_.  
(Seal of Corporation)

\_\_\_\_\_  
(Secretary)

**CERTIFICATION OF COMPLIANCE WITH THE IRAN DIVESTMENT ACT**

As a result of the Iran Divestment Act of 2012 the Office of General Services must develop a list of persons who are engaged in certain investment activities in Iran. Contracts cannot be awarded to persons or entities on that list, with some exceptions. All bidders are required to execute the following statement:

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to Paragraph (b) of Subdivision 3 of Section 165a of the State Finance Law.

\_\_\_\_\_  
Corporate or Company Name

BY: \_\_\_\_\_  
Signature

\_\_\_\_\_  
Title

Sworn to before me this \_\_\_\_ day  
of \_\_\_\_\_, \_\_\_\_\_

\_\_\_\_\_  
Notary Public  
Comm Exp \_\_\_\_\_

NOTE: If the bidder cannot make the above certification, it shall so state and furnish with the bid a signed statement which sets forth in detail the reasons for that.